



Solutions Beyond Expectations

Established in 2018, Noor Al Masafi (NAM) has expanded its portfolio to include the supply of high-quality Personal Protective Equipment (PPE) kits, supporting safety and compliance across a wide range of industries. With a strong commitment to quality, reliability, and timely delivery, NAM has become a trusted partner for organizations operating in demanding and high-risk environments.

Our PPE kits are designed to meet international safety standards and are suitable for healthcare, industrial, construction, marine, offshore, oil & gas, hospitality, and corporate sectors. Each kit can be customized to suit specific operational requirements and may include protective coveralls, safety gloves, masks, face shields, goggles, helmets, safety footwear, and hygiene products.

Backed by approved sourcing, strict quality control, and efficient logistics, NAM ensures every PPE kit delivers durability, comfort, and dependable protection—even in harsh marine and offshore conditions. Our solutions help organizations maintain safe working environments while meeting regulatory and operational compliance with confidence.



NAM

Solutions Beyond Expectations



Ras Al Khor, Dubai, UAE | info@namuae.com | www.namuae.com



WORKWEAR

*Professional Wear
Premium Quality*



TAHA TWILL COVERALL
185 gsm twill material



WORKMAN TWILL 2 PC SUIT
185 gsm Twill material



WORKMAN T/C PC SUIT
130 gsm poplin material



AP 2 PC SUIT
185 gsm Twill material



POWER COVERALL
80/20 polyester cotton 240 gsm Twill material



POWER 2 PC SUIT
80/20 polyester cotton 240 gsm Twill material



TAHA 2 PCS REFLECTIVE
185 gsm Twill material with reflective tape



PW EUROPEAN 2 PCS
270gsm 100% cotton



FR COVERALL PROTEX
180 gsm 55:43:2 Madacrylic:Cotton:Carbon Fibres



AQ COVERALL PPE
240 gsm 65/35 Polyester/cotton



TWILL COVERALL REFLECTIVE
185 gsm Twill material



TAHA TC LABCOAT
130 gsm poplin material



AP TWILL LABCOAT
185 gsm Twill material

Solutions Beyond Expectations

SAFETY JACKETS

EN20471 Compliant Reflective Safety Vests



SJ 2 LINE CLOTH

100 gsm polyester knitted fabric



SJ 4 LINE CLOTH

120 gsm Polyester knitted fabric



SJ SOLID 2.0 PPE

120 gsm Polyester fabric.
4 line cloth reflective tape



SJ 4 LINE PVC

120 gsm Polyester knitted fabric



SJ 4 LINE ID POCKET

120gsm Polyester knitted fabric



SJ WTB015 YOG

120 gsm polyester knitted fabric & 120 gsm mesh



SJ WTB002

120gsm Polyester mesh fabric



SJ LED LIGHT

120gsm Polyester mesh fabric With LED



SJ 21 HIGH REF

120gsm Polyester knitted fabric



SJ 22 3M

120gsm Polyester knitted fabric



SJ 2 COLOUR 4 LINE

120gsm Polyester knitted fabric



SJ 4 LINE VELCRO & POCKET

120gsm Polyester knitted fabric



SJ SOLID 4 LINE

120gsm Polyester knitted fabric



SJ LUMINOUS

120gsm Polyester knitted fabric



SJ COLLAR N/B

120gsm Polyester knitted fabric

WORKWEAR



DP DARWIN

Winter Parka waterproof seams, fixed hood, adjustable waist and bottom of garment with drawstring



VWJK01 PARKA JACKET

100% Poly 300D Oxford with Polyurethane Coating. 180 gsm Polyester quilt lining



VWJK04 BOMBER JACKET

100% Poly 300D Oxford with Polyurethane Coating. 180 gsm Polyester quilt lining



SJ 51 POLO SHIRT

100% polyester material



SJ 52 POLO SHIRT

100% polyester material



SJ 53 POLO SHIRT

100% polyester material



MIX REFLECTIVE TAPE

Reflective tape, Mix type. Size: 2" x 50m



REFLECTIVE PVC TAPE

Reflective tape Fluorescent. Size: 1" x 50m



REFLECTIVE PVC TAPE

Reflective tape Fluorescent. Size: 2" x 50m



HEAT TRANSFER TAPE

Reflective Heat Transfer tape. Size: 2" x 50m

RAINWEAR



RAINCOAT POLY DW01
0.18mm, 170 Tafetta Polyester/PVC material



RAINSUIT POLY DW02
0.18mm, 170 Tafetta Polyester/PVC material



RAINCOAT POLY REF DW03
0.18mm, 170 Tafetta Polyester/PVC material with 1 inch reflective tape



RAINSUIT POLY REF DW04
0.18mm, 170 Tafetta Polyester/PVC material with 1 inch reflective tape



RAINSUIT OXF REF DW05
Oxford material with 1" reflective tape



RAINSUIT POLY+LINING DW06
170 Tafetta Polyester/PVC material. Lining with 2 lines of 1" reflective tape



RAINSUIT FLOR. DW08
170 Tafetta Polyester/PVC material. 2 lines of 1" reflective tape on the back



RAINCOAT POLY YM01
170 Tafetta Polyester/PVC material. 1 inch reflective tape on the back



RAINSUIT POLY YM02
170 Tafetta Polyester/PVC material. 1 inch reflective tape on the back



RAINSUIT OXF YM03
OXFORD MATERIAL 1 inch reflective tape on the back



RAINCOAT PVC YM04
PVC material - hooded raincoat



RAINSUIT OXF FLOR. REF YM05
Florescent Oxford Material. 0.26mm thickness 1inch reflective tape



YM06

EVA material. Attached hood with string. Waterproof & flexible



Pvc Poncho 8041



Rc Shoe Cover Long YM08 Alto



Rc Shoe Cover Short YM09 Baja

DISPOSABLE WEAR



WK DC 1040

Polypropylene non woven 40 gsm



WK DC 2055

55 gsm Type 5/6, SMS



WK DC 3055

55 gsm Microporous spunbond laminate material, Type 5/6



WK DC 4063

63 gsm. Microporous spray tight spunbond polyethylene.



WK DDC 40

Polypropylene non woven 40 gsm



DT117

50% polypropylene, 50% polyethylene



DT215

PVC material - hooded raincoat



DT300

Overall with elasticated hood. 5/6 type. Non woven 100% SMS



DUPONT TYVEK

Disposable Coverall. 3 piece hood, external stitched seams, Tyvek zipper with storm flap



PO 106

Overall with elasticated hood. Non-woven polypropylene 30 g/m². Zip fastening



WLO 3004

Disposable chemical protection Type 5/6 55Gsm



PO 110

Non-woven polypropylene



WK MC 10

Poly-propylene disposable mop cap



WK SC PE
PPE material



WK SC 30
on-woven Fabric



NITRILE **VINYL**



SURCHPE
Polyethylene 30



WK BC 10

Non-woven fabric disposable Bouffant Cap

Solutions Beyond Expectations

SAFETY SHOES



ARROW SHOES

Upper: Synthetic leather.
Lining: Black, Stitching: White
Sole: Pvc moulded sole with metal toe



DRACO SHOES

Upper: Synthetic leather.
Lining and stitching: Yellow
Sole: Pvc moulded sole with metal toe



ELEVATE

S1 Standard Split leather
Mesh Lining. EN Steel Toe Cap.
PU Sole.



STRONGARM IND

Upper: leather Black
Lining and stitching: Black
Sole: Pvc moulded sole with metal toe



LIBRA

Upper: Synthetic leather.
Lining and stitching: White
Sole: Pvc moulded sole with metal toe



MATAR

Upper: Suede Synthetic leather.
Lining and stitching: White
Sole: Pvc moulded sole with metal toe



ELARA

Upper: Synthetic leather.
Lining and stitching: White
Sole: Pvc moulded sole with metal toe



CURSA

Upper: Synthetic leather.
Lining and stitching: Black
Sole: Pvc moulded sole with metal toe



WK LZ 10 CIERA SHOES

Split embossed leather. High ankle shoes.
Standard: S1P, PU outsole



HECKEL STOPAC S1P SAFETY SHOES

Material: Grained Leather Gusset. Sole:
Rubber. Exceptional grip, oil & Hydrocarbon
resistant. Resistant to Hydrolysis,
HRO, metal-free polycap SS midsole



COMET S3 SHOES

S3 standard. Cow split leather. Mesh
lining. EN fibre glass toe cap. EN steel
plate. PU sole



VESTA

S1 Standard Nubuk leather
Mesh Lining. EN Steel Toe Cap
PU Sole.

SAFETY SHOES



JUMPER3 SIP SRC

SIP; Upper: Pigmented split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU. Black.



JET3 SIP SRC

SIP; Upper: Pigmented split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU. Black.



JUMPER3 S3 SRC

S3; Upper: Waterproof pigmented split leather.
Lining: Polyamide absorbing.
Outsole: Injected, dual density PU. Black.



MIAMI SIP SAFETY SHOES

Upper: Polyester and cotton.
Insole: Removable pre-moulded - polyester on EVA.
Midsole: Injected - single density PU.



SIMBA DELTAPLUS

Upper: Water-repellent pigmented split leather. Lining: Polyester fibre.
Insole: Removable pre-moulded - Polyester on PU.
Midsole: Injected - Delta-Rubber.
Outsole: Rubber Nitrile. Non-metallic footwear.



JPHOENIX S3

Upper: Pigmented split leather, S3 water resistant treatment. Lining: Polyamide mesh. Insole: Removable pre-moulded - Polyamide on EVA. Outsole: Injected - PU bi-density. Non metallic footwear



PHOCEA S3

Upper: Pigmented split leather, S3. Lining: Polyamide mesh. Insole: Removable preformed - Polyamide on EVA.
Outsole: Injected - PU bi-density.



KRYPTON EH

Upper: Water-repellent pigmented split leather. Lining: Polyester fibre. Insole: Removable pre-moulded - Polyester on PU. Midsole: Injected - Delta-Rubber.
Outsole: Rubber Nitrile. Non-metallic footwear.



KATANA EH

Upper: Water-repellent pigmented split leather. Lining: Polyester fibre. Insole: Deltaplus Air Flow System' - Removable pre-moulded - Polyester on PU. Midsole: Injected - Delta-Rubber. Outsole: Rubber Nitrile. Non-metallic footwear



SAGA S3 SRC

Upper: Nubuck leather, S3 water resistant treatment. Lining: Polyester.
Insole: Removable - polyester on EVA.
Outsole: Cemented - PU/Rubber.



RIMINI SIP SRC

Upper: Suede split leather and nylon mesh (breathable). Lining: Polyamide absorbing.
Insole: Removable pre-moulded - Polyester on EVA. Outsole: Injected - Dual-density PU



JMIAMI S2 SRC

Upper: Microfibre/PU.
Insole: Removable pre-moulded - polyester on EVA. Midsole: Injected - single density PU.

BUMP CAPS

Bump Caps

*Polyamide Outer Shell With
Polyurethane Coating.
Polyethylene Inner Lining
And Shock-Absorbing EVA
Foam Padding*



Grey Yellow Juniper



Blue Grey Hazel



**Black Orange
Bc2000**



Black Orange Alder



Royal Blue Banva



Orange Bc3001



Green Grey Bc1000



Grey Red Pine



Royal Blue Cypres



Flo Green Bc3000



Orange Olive



Black Rowan



VE AIR COLTON CAP
Polyurethane-coated polyamide lined
with polyethylene

SAFETY SHOES



WORKMAN RAINBOOT PPE

Type: PVC Rainboots . Color: White
Upper: PVC .Lining: Easily dried polyester fabric .Outsole: PVC .Toecap: Without Steel toe
Insert Plate: Without Steel plate



WORKMAN RAINBOOT

Type: PVC Rainboots .Color: Black & Green
Upper: PVC .Lining: Easily dried polyester fabric
.Outsole: PVC .Toecap: Without Steel toe
Insert Plate: Without Steel plate



WK RAINBOOT NILE

Type: PVC Rainboots .Upper: PVC
Lining: Easily dried polyester fabric
Outsole: PVC . Color: Black, Green



NILE SAFETY SHOES

Type: PVC Gumboots .Upper: PVC
Lining: Easily dried polyester fabric .
Outsole: PVC .Toecap: With steel toe
Colours: Green & Black



WORKMAN GUMBOOTS STEEL TOE (S4)

Type: PVC Gumboots .Upper: PVC
Lining: Easily dried polyester fabric
Outsole: PVC .Toecap: With steel toe
Colours: Green & Black



WK GUMBOOT STEEL TOE MIDSOLE (S5)

Upper: PVC .Lining: Easily dried polyester fabric
Outsole: PVC . Toecap: Steel Insert Plate:
Steel plate .Colours: Yellow, Green & Black



SAHARA GUMBOOT STEEL TOE+MIDSOLE (S5) - NEW

Type: PVC Gumboots .Upper: PV
Lining: Easily dried polyester fabric
Outsole: PVC .Safety: With steel toe and midsole
plate .Insert: Steel Plate



Dunlop Pricemaster Black

Upper/Sole Color: white/green
Lining: White Polyester
Standards: CE Standard, Oil Resistant Sole



Dunlop Pricemaster White

Upper/Sole Color: white/green
Lining: White Polyester
Standards: CE Standard, Oil Resistant Sole

SAFETY GLOVES



VE801

Nitrile with cotton flock lining. 0.4mm, 33cm.



EOS NOCUT VV910

High performance polyethylene support. Thermo-plastic (TPR) reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm



VV904 NYSOS

Support: 100% polyester. Coating: natural latex. Back reinforcement: Thermoplastic



VV835 CHEMSAFE

Double nitrile coating on polyamide lining. Third rough foam nitrile coating on palm and fingertips. Length: 35 cm. Thickness: 1.15mm on cuff - 1.30 mm on palm.



THRYM VV736

Inside: 100% acrylic gauge 10. Outside: 100% polyamide gauge 15. Full latex coating of the hand. Second foam latex coating on palm and fingertips

Premium Performance Gloves



TM53-1

Double nitrile coating on polyamide lining. Third rough foam nitrile coating on palm and fingertips. Length: 35 cm. Thickness: 1.15mm on cuff - 1.30 mm on palm.



TM53-2

Cut Resistant Blue/black Gloves. Is A Light Gauge, High Dexterity Gloves For High Cut Resistant Applications.



TM53-3

Thermal Blue Gloves, Is A Double Ply Water Resistant Usage In Cold Temperature For Temperature As Low As -4.



TM53-4

Spandex blue/grey Gloves, Is A Double Nitrile Dipped Glove For Mechanical Usage In Handling Chemicals.



TM53-5

Polyamide/Spandex Nitrile Sandy Finish Gloves with antistatic capacity



TM53-6

Polyamide/Spandex Nitrile/Polyurethane coating on palm & fingertips. Nitrile Dots on Palm



TM53-7

Spandex Grey/black Gloves. Is A Fully Coated Nitrile Gloves For Added Protection To The Knuckles And The Wrist



TX 3000

High performance polyethylene support. Thermo-plastic (TPR) reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm.

SAFETY GLOVES



FBN49

Cowhide full grain leather glove. Cowhide. Thickness of between 0.9 and 1.1 mm.



VENICUT50 (VECUT50/VECUTDX0)

High performance polyethylene fibre. Cowhide leather on palm and fingertips. Gauge 10.



VENICUT 42

Polyurethane-coating on palm and fingertips. Reinforcement between the thumb and index finger. 10 cm cuff. Gauge 13



VENICUT33

Nitrile on cotton jersey lining. 6 cm canvas safety cuff. Fully coated.



VENICUT41GN (VENICUTC01)

Foam nitrile coating on palm and fingertips. Reinforcement between the thumb and index finger. 10 cm cuff. Gauge 13.



VENICUT43

High performance fibre. Nitrile coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



VENICUT53NO (VECUTD03)

High performance fibre. Nitrile micro-foam coating on palm and fingertips. Gauge 15.



VE712GR

Nitrile coating on palm and fingertips. Gauge 13.



VENICUT 52 (VECUT52)

High performance polyethylene fibre. Latex coating on palm and fingertips. Gauge 10.



VE722

100% polyester. Foam nitrile coating on palm and fingertips. Gauge 13.



VE726

Polyamide/Spandex. Nitrile/Polyurethane coating on palm and fingertips. Gauge 15



VE727

Polyamide/Spandex. Nitrile/Polyurethane coating on palm and fingertips. Nitrile dots on palm. Gauge 15.

Solutions Beyond Expectation

SAFETY GLOVES

LEATHER GLOVES



ORANGE CUFF

Single palm, Cowhide split leather with twill cotton back, rubberised cuff



RED CUFF

Single palm, Cowhide split leather with twill cotton back, rubberised cuff



SW BROWN

Full hide, Cowhide split leather with twill cotton back, rubberised cuff.



DOUBLE PALM

High quality cowhide split leather with reinforced double palm and twill cotton back, rubberised cuff.



WELDING RED

16" A-grade cowhide split leather with pipin and cotton lining



WELDING YELLOW

16 inches A-grade Cow hide split leather with pipin and cotton lining.



COWHIDE LEATHER

High quality cowhide grain leather palm and back split leather. Tig welding gloves. 15" size.



FNG GOAT LEATHER

Driver gloves FNG Goat leather.



KAVACH ELECTRIC 16

Treated, dipped pure rubber gloves. Voltage: 5kv, 11kv, 15kv, & 33kv.

LATEX DIPPED GLOVES



L1101

10G High grade yarn, latex coating. Crinkle finish.



L1202

10GT/C liner, best quality natural latex coated, Crinkle surface finish.



L1305

7G Acrylic liner, napping lining, natural latex coated, crinkle surface finish.

SAFETY GLOVES

PVC Protection Against Chemicals And Acids Premium Quality Gloves



PVC GLOVES DYSON

Chemical Pvc, double Dipped.
Length: 27CM.



PVC GLOVES DEBYE

Chemical Pvc, double Dipped.
Length: 40CM.



PVC GLOVES EULER

Chemical Pvc, double Dipped.
Length: 60CM.



PVC GLOVES ENCKE

Chemical Pvc, double Dipped.
Length: 40CM



PVC GLOVES CURIE

Chemical Pvc, double Dipped.
Length: 30CM



PVC GLOVES DALEN

Chemical Pvc, double Dipped.
Length: 27CM.



P4401 CHEMICAL

100% cotton, jersey lining with
smooth finish PVC coating.
(Available in 30cm, 35cm, 40cm).



PVCC400

Chemical PVC. PVC on inter-
lock cotton lining. Length: 40
cm. Thickness: 1.20-1.40 mm.



P4301

Full PVC on interlock cotton lining.
Knitted wrist. Coating: 100% PVC
dipped. Wrist: cotton knit.

SAFETY GLOVES

NITRILE



N1501

13G white poly-light green, nitrile smooth finish.



N2101

13G U3 polyester shell, nitrile coating smooth finish



N2103

Polyester knitted gloves/nitrile palm. 100% polyester 13G



N1511

13G U3 polyester shell, nitrile smooth finish



N2305

Cotton jersey gloves, nitrile coated safety cuff



N2301

Cotton jersey gloves, nitrile coated safety cuff



N2401

Knitted polyester glove – Light blue Nitrile foam coating palm. White polyester shell 13G.



TAHA CHEM

Nitrile with cotton flock lining. Length: 33cm. Oil Resistant



L1803

Pink latex gloves on Cotton Liner support with uncoated back. Latex rough-textured on cotton interlock lining. Knitted wrist. Ventilated back.

PU GLOVES



PU 1201

13G nylon shell, PU coating



PU 3105

13G Black nylon shell, black pu coating



PU 3106

13G nylon shell, PU coating

SAFETY GLOVES

KNITTED AND DOTTED GLOVES



AG2550

550gm weight, 10G T/C. White bleached knitted gloves



SY7102

550gm weight, 10G T/C. Naturally cloured knitted gloves



GY2550

550gm weight, 10G T/C. Grey knitted gloves



L2401

10G High grade yarn, latex coating. Crinkle finish



L7100

Granular finish latex dipped 27cm. Interlock shell. High resistance to mechanical and chemical risks



BLUE ON BLUE DOUBLE DOTTED
7G T/C. Navy knitted gloves, blue PVC dots coated on both sides.

SPANDEX GLOVES



N2501

Spandex shell micro-foam nitrile coated. 15G grey nylon



N2511

Spandex shell micro-foam nitrile coated with nitrile dots. 15G grey nylon



N2521

15G white nylon, spandex shell, grey lunar foam nitrile.

CUT RESISTANT GLOVES



H1101

10 gauge cut level 5. Heavy duty latex coated for puncture resistance, black latex crinkle.



H2101

13 gauge cut level 5. Nitrile coated. Black nitrile smooth finish



H3101

13 gauge cut level 5. HPPE black PU

SAFETY HELMET



WK HELMET

HDPE safety helmet, sleek design



MADE IN
UAE




M1 PUSH BUTTON HELMET

HDPE safety helmet, robust design



MADE IN
UAE



M2 TEXTILE HARNESS HELMET

HDPE safety helmet, robust design



MADE IN
UAE



3 LINE HELMET

HDPE safety helmet, sleek design.



MADE IN
UAE



SAFETY HELMET



DIAMOND HELMET
ABS safety helmet



DIAMOND HELMET
ABS safety helmet



DIAMOND HELMET
ABS safety helmet



QUARTZ HELMET
High density polypropylene safety helmet



QUARTZ HELMET
High density polypropylene safety helmet



QUARTZ HELMET
High density polypropylene safety helmet



ZICRON HELMET
HDPE helmet shell and inner fittings of LDPE



ZICRON HELMET
HDPE helmet shell and inner fittings of LDPE



ZICRON HELMET
HDPE helmet shell and inner fittings of LDPE



GRANITE HELMET
ABS safety helmet. Mountain helmet style. Without visor for the best



GRANITE HELMET
ABS safety helmet. Mountain helmet style. Without visor for the best



SAFETY SHEILDS & RESPIRATORY



WK FS 5001 ASTER
PC face shield



WK FS 5002 BLOOM
HDPE head gear PC face shield.



WK FS 5003 CLARY
PMMA mounted with excellent viewing



BALBI 2
Face shield with brow protection viewer



WK WS 2004 TAIWAN TYPE
Welding mask high quality PP material



WK WS 3001 AMERICAN TYPE
Welding mask high quality PP material.



WK WS 3003
Welding mask high quality PP material.



M6300 JUPITER
Thermo-plastic elastomer half mask.



M6400 JUPITER
Thermo-plastic elastomer full mask.



NORTH 550030
Thermo-plastic elastomer half mask



NORTH 54001
Thermo-plastic elastomer full mask.



WK CM1001S
Single-Tank Chemical mask.



WK CM1002D
Double-Tank Chemical mask.



WK DM1003S
Single-Tank Dust mask.



WK DM1004D
Double-Tank Dust mask.

EAR SAFETY



WK-EC-1001

37dB disposable polyurethane earplugs. Box of 200 pairs



WK-EC-1001C

37dB disposable polyurethane earplugs with plastic cords. Box of 100 pairs.



WK-EC-2001C

37dB disposable silicone earplugs with plastic cords. Box of 100 pairs



WK-EC-2001C + BOX

37dB disposable silicone earplugs with plastic cords. Box of 80 pairs.



CONIC 200

Polyurethane earplugs Ø12mm. 37dB earplugs.



CONICCO 200

Ø12mm. Polyurethane earplugs with plastic cords. 37dB earplugs



WK-EC-2018C

33dB pure silicone + PP earplugs



WK-ED-250

Earplug dispenser with the base. PU+Plastic. 34dB



WK-ED-500

Earplug dispenser with the base. PU+Plastic. 34dB

EAR SAFETY

*All EarMuffs Are
EN352-1 Certified*



SPA 3

25 dB Ear defender with polystyrene (PS) and synthetic foam cups



MAGNY COURS 2

25 dB Ear defender with polystyrene (PS) and synthetic foam cups.



DP SUZUKA FOR HELMETS

27 dB Ear defender for safety helmets



INTERLIGHT

Ear defenders with ABS and synthetic foam cups. Pad: foam. Headband: ABS



INTERLAGOS

Ear defenders with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM)s



WK-FM-2E

Cap-Mounted earmuffs with ABS cups and plastic arms. 105 dB.



WK EM 5001B ECONOMY

28 dB Ear defender with ABS and synthetic foam cups



WK EM 5002A LUXURY

30 dB Ear defender with ABS and synthetic foam cups



WK EM 5005

29 dB Ear defender. Super economic style. Headband earmuffs



WK-FM-3

Plastic headband earmuff with ABS cups. 34dB



WK EM 5003 ECO

25 dB Ear defender with polystyrene (PS) and synthetic foam cups

DUST MASKS

*Comfortable Breathing
Protection*



WK KN95 FLAT

Box Of 1 x 20pcs, 1 x 50pcs Kn95 Flat Mask. nose Clip Of Adjustment



WK FACE MASK

Box of 50 disposable face masks. Face masks with elasticised ear loops and metal strip for nose.



WK FFP1

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment



WK FFP1 VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve



WK FFP1 CARBON VALVE

Box of 20 non woven carbon synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve.



WK FFP1 FLAT VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve



WK FFP2

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve



WK FFP2 VALVE

Box of 10 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve



WK FFP2 FLAT VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve



WK FFP2

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP3 VALVE

Box of 10 non woven synthetic fibre disposable moulded masks. FFP3. Nose clip for adjustment. Wide adjustable straps

Solutions Beyond Expectations

DUST MASKS



M1195B

Box of 30 non woven synthetic fibre disposable masks FFP1. Nose clip for adjustment. Foam edge under nose clip



FFP1 M1100

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment.



FFP1 VALVE M1100V

Box of 10 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve



FFP2 M1200

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment.



FFP2 VALVE M1200V

Box of 10 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve



FFP2 VALVE M1200VBC

Box of 10 non woven synthetic fibre disposable masks. FFP2. Nose clip for adjustment.



FFP2 VALVE M1204V

Box of 10 non woven synthetic fibre disposable masks. FFP2. Mask with 4 foldable parts suitable for all faces. Foam edge under nose clip



FFP3 VALVE M1300V

Box of 5 non woven synthetic fibre disposable moulded masks. FFP3 with valve. Nose clip for adjustment. Wide adjustable straps



FFP3 M1300VB FOLDABLE

Box of 10 non woven synthetic fibre disposable masks FFP3. Nose clip for adjustment. High performance exhalation valve. Hygienic individual plastic bag



VENUS V44++

Flat fold 'C' style. Dotted pattern edges. Embedded nose clip. Latex free knitted textile elastic. Stapled outside filtered media. NOISH approved.

SAFETY GOGGLES



WK SG 3001

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 1.6 mm.



WK SG 3002

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 2.2 mm.



WK SG 3003

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 2.2 mm.



WK SG 3004

One piece design with perfect view. PC lens. Absorbs harmful UV. Anti scratch. 2.2 mm



WK SG 3005

Cushioned bridge and temples. Lens PC. Absorbs harmful UV. Anti scratch. 1.5 mm.



WK SG 3006

Light weight frameless design. Lens PC material



WK SG 3007

Light weight frameless design. Lens PC material. Absorbs harmful UV. Anti scratch..



WK SG 3008

Frameless design. Lens PC material. Protruding for extra protection. Absorbs harmful UV. Anti scratch



WK SG 3009

Black frame with lens. PC material with peripheral protection. Absorbs harmful UV. Anti Scratch



WK SG 3010

Frameless design. Lens PC material. Absorbs harmful UV. Anti scratch



WK SG 3011

Black frame with lens. PC material with peripheral protection. Cushioned bridge and temples. Absorbs harmful UV. Anti Scratch



WK SG 3012

Light weight frameless design. Lens PC material. Absorbs harmful UV. Anti scratch..



WK SG 3013

Frameless design. Lens PC material. Duo coloured. Absorbs harmful UV. Anti scratch.



WK SG 2001

Flexible PVC frame seals tightly to the face. PC lens. Antifog, resist particles & liquid splashing. (Note: WK SG 2002 ANTI FOG also shown)



WK SG 2003 CROW

Compact safety goggles. Clear Lens.



WK WG 1001

Single lens structure. Supple PVC frame. Can go together with eye glasses.

Solutions Beyond Expectations

SAFETY GOGGLES

*Superior Quality
Polycarbonate
Goggles*



WK WG 1002
Flip up front design. Flexible PVC frame. Ventilating. Clear & Black PVC lens for different tasks



WK SG71003
Polycarbonate single lens spectacles. Adjustable and tilting arms



WK SG71006
Polycarbonate single lens glasses. Soft flat spatula type arms. Integrated polycarbonate nose piece



WK SG71012
Lens PC material. Integrated polycarbonate nose piece. Absorbs harmful UV. Anti-scratch



WK SG71042
Clear carbonate goggle. Indirect ventilation. Wide elastic strap. Panoramic screen with non-reflective effect



WK SG71046
Lens PC material. Unique cushioned bridge and temples. Absorbs harmful UV. Anti-scratch



WK SG71052
Polycarbonate goggles. Indirect ventilation. Wide elastic strap. Panoramic screen with non-reflective effect



DP GALERVI
Polycarbonate goggles. Indirect ventilation. PVC & Nylon frame. Wide elastic strap. Panoramic screen. Can be worn with glasses



DP MURIA 1
Clear carbonate goggle. Direct ventilation. Textile elastic strap. Flexible PVC frame



DP PACAYA
Polycarbonate single lens glasses. Integrated polycarbonate nose piece. Adjustable Nylon arms. Side protection



DP BRAVA
Polycarbonate single lens glasses. Soft flat spatula type arms. Integrated polycarbonate nose piece. Side protection.



DP KILIMANJARO
Polycarbonate single lens glasses. Adjustable Nylon arms. Side protection. Weight 32gm



DP EGON
Ergonomic Polycarbonate lens. Sport look. Twin material arms. Soft TPE nose piece



DP FUEGO
Clear carbonate single lens glasses. Wrap around design. Accessory for safety helmets



DP TOBA
Welding goggles. Flip-up screen. PVC frame. Indirect ventilation. Elastic strap. Clear polycarbonate lens inside.

SAFETY GOGGLES



ASO21

Polycarbonate glasses. Sport design. Polycarbonate/TPR bi-material flexible arms. Nose piece for all shapes. Available in clear & smoke lens.



FUJ12

Polycarbonate single lens glass. Integrated polycarbonate nose piece. Adjustable nylon arms. Side protection. Available in clear & gradient lens.



FUJ12

Polycarbonate single lens glass. Integrated polycarbonate nose piece. Adjustable nylon arms. Side protection. Available in clear & gradient lens.



IRAYA

Polycarbonate glasses. Sport design. Polycarbonate frame for better comfort and durability. Available in clear & smoke lens



WK SG 71019

Soft nose bridge & rubber tipped arms for added comfort. Available in clear & smoke lens



WK SG 71033

Temples with adjustable length for optimal comfort and fit. Temples with adjustable angle. Available in clear & smoke lens



WK SG 71045C

Medium impact protection. Soft rubber tipped arms for added comfort. Available in clear & smoke lens



WK SG 71058

Soft rubber tipped arms for added comfort. Available in clear & smoke lens



WK SG 71061

Soft rubber tipped arms for added comfort. Sleek and ultra light weight wrap around lens. Available in clear & smoke lens



WK SG 71061A

UV400, Anti fog. 2 sides of wear resisting coating for glasses. Anti impact. Adjustable glass leg. Available in clear & smoke lens



WK SG 71062

UV400, Anti fog. 2 sides of wear resisting coating for glasses. Anti impact. Adjustable glass leg. Available in clear & smoke lens



WK SG 71068

Flip up front design. Flexible PVC frame. Ventilating. Available in clear & smoke lens for different tasks



WK SG 71068 (with rope)

Flip up front design. Flexible PVC frame. Ventilating. Clear & Black PVC lens for different tasks. Available in clear & smoke lens.



WK SG 60625

Full black frame. With impact protection. Soft-grip side arms. Available in clear & smoke lens



WK SG 71019

Lightweight, and durable. Indirect ventilation system. Splash resistance. Anti-scratch. Available in clear & smoke lens

FALL PROTECTION



WK05 BELT

PE. Belt and rope. Width: 4.5 cm. Two side waist working D-rings, adjustable buckles with rope and karabiner hook



WK08 HARNESS

Fall arrester harness. PE. Belt and rope. Support in waist. One dorsal attachment point with connected rope



WK25 HARNESS

Fall arrester harness. PE. Belt and rope. Support in waist. One scaffolding hook attachment point with connected rope



WK JS 40 HARNESS

Fall arrester harness. Waist attachment D-rings can be used in conjunction with vertical anchorage systems & for rescue operations.



WK PM 51 HARNESS (A)

Fall arrester harness. Width: 4.5 cm. One dorsal attachment D-ring. Two waist attachment D-rings.



WK PM 52 LANYARD (B)

Lanyard. Width: 4.5 cm. One karabiner. Two scaffolding hooks.



WK PM 53 HARNESS

Safety harness with single lanyards & big hooks. (100% PE, 45mm, 1 D ring, 3 adjustable points)



WK PM 54 HARNESS

Safety harness with single lanyards & absorber. (100% PE, 45mm, 3 D ring, 5 adjustable points)



WK PM 100 HARNESS

Fall arrester harness with lanyard. Width: 4.5cm. One dorsal attachment D-ring. Two waist D-rings attached. One karabiner. Two scaffolding hooks



WK JS 43 HARNESS

Full body harness Adjustable waist. Two side waist working D-rings. One D-ring on the back. Attachment point for hook of shock and energy



WK PM 55 HARNESS

Safety harness. (100% PE, 45mm, 5 D ring, 6 adjustable points)



Sizes:
HT 6 mtr
HT 8 mtr
HT 10 mtr
HT 20 mtr

FALL ARRESTER

Safety Harness. (100% PE, 45mm, 5 D ring, 6 adjustable points.)

FALL PROTECTION



JY65 REBA

Full Body Harness Single Scaffolding Hook Directly Attached To the Harness



JY64 JOAN

Full Body Harness Double Lanyard, Scaffolding Hook Directly Attached To the Harness



JY63 NICK

Full Body Harness Double lanyard with Shock Absorber



JY62 JEFF

Full Body Harness Double lanyard with Shock Absorber Shoulder and back Support



JY61 LUKE

Full Body Harness Double lanyard with Shock Absorber Shoulder and back Support



JY60 MATT

Full Body Harness Double lanyard with Shock Absorber Large Size back Support



JY66 ALLY

Ratchet Tie Down 10mts Length

ROAD SAFETY



WL09 100 CMS

HDPE cone body and PVC base. 5 kgs



WL10 75 CMS

HDPE cone body and PVC base. 2.5 kgs



WL11 50 CMS

HDPE cone body and PVC base. 2 kgs



WL12 70 CMS

PVC cone, Red cone body & base. 2.3 kgs



WL13 90 CMS

PVC cone, Red cone body & base. 4 kgs



WL14 75 CMS

PU flexible post. 75cm height. 1.4kg.



WL15 80 CMS

HDPE post and rubber base, 2.6 kgs



WL16 120 CMS

HDPE post and rubber base, 2.8 kgs



WL17 80 CMSS

HDPE post and rubber base, 2.6 kgs



WL18 100 CMS

HDPE post and rubber base, 2.85 kgs



WL19 115 CMS

LDPE post and black PVC base, 7 kgs




ROAD HUMPS

Assorted road humps and end caps available.




EXPANDABLE BARRIER

Yellow PVC. Expandable upto 3.50m. Size: 350 x 30 x 100cm



METAL EXPANDABLE BARRIER

Expandable upto 2m. Weight: 10 K.G
Size: 200 x 110cm



CROWN TOP BARRIER

Silver & Gold. Size: 98 x 32cm.
Material: S.S. Weight: 6kgs

ROAD SAFETY



WL01 RED DB / WL02 AMBER DB
2 ultra bright LED PS lens. Yellow PP base.



WL04 FLASH SB
2 ultra bright LED Amber PC lens. Yellow PE base



WL03
4r 25 6V each. PC shrink wrapped.



**WL05 RED SOALR SB
WL06 AMBER SOALR SB**
Solar traffic warning light. Colour PS lens. PP base. With plastic handle



**WL07 RED SOALR DB
WL08 AMBER SOALR DB**
Solar traffic warning light. Colour PS lens. PP base.



WL23, WL24, WL25 BATON LIGHTS
6 LED traffic baton with top LED. 54cm x 4cm

WL 28 DUO WARNING TRAFFIC BATON LIGHT
Available in green and red battery & rechargeable models.



WL26, WL 27 WARNING CHAINS

Plastic. PE material. Diameter: 8mm, 6mm. In-length: 38mm, 27mm. Colour: Red White



PARKING LOCK SOLAR
Material: Metal. Color: Yellow/Black. Can be used indoors. Size: 30 x 45 x 50cm



CONVEX MIRROR
Easy to install. Attachable on wall or pole. Sizes: 100cm, 80cm, 60cm, 45cm.



CAUTION BOARD
Features: Double sided, easy to move. Size: 30 x 60cm. Assorted boards available



TRAFFIC SIGN DOUBLE SIDE

16 rechargeable LEDs. Material: ABS. Charge: 5hrs, Usage: 6-8hrs



REFLECTIVE TAPE ARROW
Size: 25m x 5cm. Colours: Yellow/Black, Green/Black, White/Blue, Yellow/Red



WORKMAN 6" ELECTRICAL BARICADE TAPE
2 35 microns. Length: 250m. Double sided printing. Printing available in Arabic & English.



WT AT3", WT CH 3" BARICADE TAPE
3" x 200m warning tapes. Double sided printing.



WT AT 3" CAUTION BARICADE TAPE
One side printing. Caution tape. Material: LDPE

FIRE SAFETY



DCP Fire Extinguishers

Highest fire rating due to high performance ABC powder. Ready for instant use and simple to operate. Made in China



CO2 Fire Extinguishers

Carbon dioxide in gaseous agent. Provides rapid knock down of industrial fire. It is capable of fighting Class B fire effectively. Made in China



Foam Fire Extinguishers

Can be used for class A and B fires. Civil defence & KM approved. Made in China.



Wet Chemical Extinguishers

Class K fire extinguishers offer improved fire control for cooking fires. Civil defence & KM approved. Made in China



Heat & Smoke Detectors

Smoke detectors respond to slow burning, smoldering fires. Heat detectors are used for applications where smoke detectors are unsuitable. Made in China.



Fire Indicators

Power supply non polar input. Installation environment: Indoor dry occasion. Made in China.



Fire Alarms & Sirens

Quickly and easily installed. Made in China.



Fire Resistant Shielded Cables

Used for: Fire Detection and alarm systems, Public address and voice evacuation systems, & Central battery and emergency lighting



Fire Alarm Batteries

Available for side, vertical, or upright installation. Long life and low self-discharge rate. Certification: ISO, UL, SGS, Vds.



Automatic Fire Sprinklers & Fittings

Designed for use in ordinary hazard occupancies. Chrome, Brass, White painting is available. UL Civil defense approved. Made in China.



Fire Hose Reels & Cabinets

Manual & Automatic swing fire hose reels available. Cabinets for all type of hose reels. Custom make with different sizes



Valves and Pressure Gauges

Gauges for DCP, Foam, Water and Wet Chemical extinguishers. Size: 10mm. Made in China



Fire Blanket

Fibre glass cloth. Plastic box. Size 4ft x 4ft (1.2 m x 1.2 m) Size 4ft x 6ft (1.2 m x 1.8 m) Size 6ft x 6ft (1.8 m x 1.8 m)



Fire Blanket

Fibre glass cloth. Soft packing. Size 4ft x 4ft (1.2 m x 1.2 m) Size 4ft x 6ft (1.2 m x 1.8 m) Size 6ft x 6ft (1.8 m x 1.8 m)



Washers & Hoses

Cabinets and stands available in single or double pieces.



Made in China.

SAFETY LADDERS



MULTIPURPOSE

High quality moulded anti shoes.
Ribbed anti slip rungs.
Tested at 150kg capacity.

SPECIFICATIONS

Steps	A Height (m)	B Extended Length(m)	Weight (kgs)
4 x 3	1.58	3.22	9.56
4 x 4	2.22	4.60	10.95
4 x 5	2.65	5.30	11.50
4 x 6	3.20	6.35	12.60



**MADE IN
UAE**



Available Colors



SAFETY LADDERS



DUAL PURPOSE

Wider bottom for stability.
Reinforcing locking hinge.

Heavy duty spreader.
Tested at 150kgs capacity.



STEPS	LENGTH	EXT LENGTH	WEIGHT
5	1.42m	2.42m	5.90kg
6	1.725m	3.02m	7.50kg
7	2.02m	3.62m	8.80kg
8	2.32m	4.22m	9.90kg
9	2.62m	4.82m	11.60kg
10	2.93m	5.42m	13.10kg
12	3.45m	6.62m	16.30kg
14	4.09m		19.50kg

SAFETY LADDERS



PLATFORM LADDER

Folding Platform Aluminium A-Frame Ladder

	 A	 B	WEIGHT (KG)	MAXIMUM HEIGHT
5 STEPS	160 CM	96 CM	3.10 KG	276 cm
6 STEPS	182 CM	116 CM	3.70 KG	296 cm
7 STEPS	202 CM	136 CM	4.10 KG	316 cm
8 STEPS	222 CM	155 CM	4.70 KG	335 cm
9 STEPS	243 CM	176 CM	5.00 KG	356 cm



TELESCOPIC

Folding telescopic aluminium A-Frame ladder with sturdy hinges.



No. of Steps	A Type	Straight Type
5 Steps	5 Ft (1.5 m)	10 ft (3 m)
6 Steps	6 ft (1.8 m)	12 ft (3.6 m)
7 Steps	7 ft (2.1 m)	14 ft (4.2 m)
8 Steps	8 ft (2.4 m)	16 ft (4.8 m)
9 Steps	9 ft (2.7m)	18 ft (5.4 m)
10 Steps	10 ft (3m)	20 ft (6 m)



Solutions Beyond Expectations

SAFETY LADDERS



6 STEPS
8 STEPS
10 STEPS
12 STEPS
14 STEPS
16 STEPS
18 STEPS
20 STEPS
22 STEPS

ALUMINIUM STRAIGHT SINGLE & EXT

High quality moulded anti slip shoes, stabilizer. Tested at 150kg capacity.



3X7 STEPS
3X8 STEPS
3X9 STEPS
3X10 STEPS
3X11 STEPS
3X12 STEPS

TRIPPLE EXT

Extra strong, corrosion resistant aluminium construction. Tested at 150kg capacity.



3X7 STEPS
3X8 STEPS
3X9 STEPS
3X10 STEPS
3X11 STEPS
3X12 STEPS

FIBRE GLASS A-TYPE SINGLE SIDE

Fibre glass ladder crimped, heavy duty extruded rung with double locks. Anti-static and fire retardant.

6 STEPS
7 STEPS
8 STEPS
9 STEPS
10 STEPS
11 STEPS
12 STEPS
14 STEPS
16 STEPS

FIBRE GLASS A-TYPE DOUBLE SIDE

Fibre glass ladder crimped, heavy duty extruded rung with double locks. Anti-static and fire retardant.



6+6 STEPS
8+8 STEPS
10+10 STEPS
12+12 STEPS
14+14 STEPS
16+16 STEPS
18+18 STEPS
20+20 STEPS
22+22 STEPS

FIBRE GLASS STRAIGHT SINGLE & EXT

Fibre glass ladder crimped. Shoes with wider slip resistant pad, anti-static & fire retardant.

SCAFFOLDING

Height	Height
2.2 (1.0)	2.2 (1.0)
2.7(1.5)	2.7(1.5)
3.2(2.0)	3.2(2.0)
3.8(2.5)	3.7(2.5)
4.3(3.0)	4.2(3.0)
4.8(3.5)	4.7(3.5)
5.3(4.0)	4.8(3.5)
5.8(4.5)	5.3(4.0)
6.3(5.0)	5.8(4.5)
6.8(5.5)	6.3(5.0)
7.3(6.0)	6.8(5.5)
7.8(6.5)	7.3(6.0)
8.3(7.0)	7.8(6.5)
8.8(7.5)	8.3(7.0)
9.3(8.0)	8.8(7.5)
10.3(9.0)	9.3(8.0)
10.8(9.5)	9.8(8.5)
11.3(10.0)	10.3(9.5)
11.8(10.5)	10.8(9.5)
12.3(11.0)	11.3(10.0)
12.8(11.5)	11.8(10.5)
13.3(12.0)	12.3(11.0)
	12.8(11.5)
	13.3(12.0)
	13.8(12.5)
	14.3(13.0)



Solution Beyond Expectations

SCAFFOLD

Scaffolding structure that is typically made from metal poles and wood planks and used to support construction workers, inspectors, cleaners, and others who need to work at height.



LIFEJACKETS 70178

Lalizas Foam Lifejackets Advanced, Solas/med.



LIFEJACKETS 70157

Inflatable Jacket Laliza Foam Folding Lifejacket Compact Solas/med.



LIFEJACKETS 71107

Lalizas Foam Lifejackets & Lifebelts Advanced, Solas/med.



LIFEJACKETS 70993

Lalizas Foam Lifejackets & Lifebelts Advanced, Solas/med.



WorkVest 71144

Workvest Made Of special Polyester Anti-Fire Fabric



LIFEJACKETS 71098

Alpha Inflatable jacket on all Integral black Harness.



LIFEJACKETS 72155

Fit & Float Buoyancy Ideal for Ski & Jetski.



Watersports 71092

Watersports Easy Rider Performance Buoyancy Aid



Watersports 71060

Watersports Easy Rider Action Buoyancy Aid.



Watersports 71089

Watersports Easy Rider Action Buoyancy Aid



Throw-overboard Liferaft

LALIZA Liferaft SOLAS OCEANO Throw Overboard Type.



SCBA Apparatus 71328

self contained Breathing Apparatus.



EEBD Breathing Device

Emergency Escape Breathing Device



Lifebuoy Ring 70090

Lifebuoy Ring Designed for Commercial usage.



Lifebuoy Ring 72077

case for lifebuoy Ring.



Lifebuoy Light 71325

Lifebuoy Light Uses Flashing Light With Led Technology.



NAM

Solutions Beyond Expectations



+971 50 136 1811

+971 56 354 2146



www.namuae.com



info@namuae.com



Ras Al Khor, Dubai, UAE

